

Docket No. AT9-98-303

### CLAIMS:

What is claimed is:

1. A method of retaining a privilege in a Java-enabled environment, comprising the steps of:

- 5 (a) creating a stack frame shadow apparatus containing a list of privileges granted to particular functions;
- (b) retrieving said list when a function is called; and
- (c) implementing said function if it retains the privilege.

10 2. The method of Claim 1 wherein step (a) comprises writing a stack frame extension for a first Java thread.

3. The method of Claim 2 wherein writing a stack frame extension comprises using the thread identifier to retrieve a list of frame extension entries.

15 4. The method of Claim 3 further comprises searching the list of frames for a matching frame entry.

5. The method of Claim 4 further comprises updating the extension entry with  
20 frame extension information and validation information.

0916663-07-3098

Docket No. AT9-98-303

6. A method of decoupling a Java virtual machine (JVM) from a browser while retaining applet security privileges, comprising the steps of:

(a) copying a list of privileges afforded to an applet from the JVM into a shadow apparatus;

25 (b) retrieving the list of privileges from the shadow apparatus.

a

7. The method of Claim 6 further comprises:

(c) validating the retrieved list of privileges.

30 8. The method of Claim 6 wherein said list of privileges is a list of implicit privileges afforded to Java system classes.

09126633-073098

Docket No. AT9-98-303

9. A data processing system containing a Java-enabled browser, said system comprising:

- (a) means for decoupling a Java virtual machine from the browser;
- (b) means for writing a list of privileges afforded to an applet to a shadow

5 apparatus.

(c) retrieval means for retrieving the list of privileges from the shadow apparatus;

- (d) validation means for confirming the privilege is valid.

add a' >

09126633-073048